(FILE 'HOME' ENTERED AT 16:57:48 ON 09 JUL 2003)

FILE 'BIOSIS, CAPLUS, EMBASE, MEDLINE, CANCERLIT, JAPIO' ENTERED AT 16:58:08 ON 09 JUL 2003

13 S DIGOXIN AND BIOTIN AND BIS?

9 S L1 AND ANTIBOD?

L3 4 S L2 AND CHEM?

I.4 4 DUPLICATE REMOVE L3 (0 DUPLICATES REMOVED)

=>

L1 L2 Lycook
AT 7/9/03

(FILE 'HOME' ENTERED AT 16:57:48 ON 09 JUL 2003)

FILE 'BIOSIS, CAPLUS, EMBASE, MEDLINE, CANCERLIT, JAPIO' ENTERED AT 16:58:08 ON 09 JUL 2003

- L1 13 S DIGOXIN AND BIOTIN AND BIS?
- L2 9 S L1 AND ANTIBOD?
- L3 4 S L2 AND CHEM?
- <u>L4</u> 4 DUPLICATE REMOVE L3 (0 DUPLICATES REMOVED)

=>

MEDLINE L13 ANSWER 8 OF 8 MEDLINE AN 94197071 PubMed ID: 8147276 DN 94197071 Use of drug-specific antibodies to identify ethidium adducts ΤI produced in Trypanosoma brucei by photoaffinity labeling. Omholt P E; Cox B A; Prine L C; Byrd S; Yielding L W; Yielding K L ΑU Department of Human Biological Chemistry and Genetics, University of Texas CS Medical Branch, Galveston 77550. microfilm Q2. A25 NC AI17700 (NIAID) ACTA TROPICA, (1993 Dec) 55 (4) 191-204. so Journal code: 0370374. ISSN: 0001-706X. CY Netherlands Journal; Article; (JOURNAL ARTICLE) DT LΑ English Priority Journals FS 199405 EΜ ED Entered STN: 19940511 Last Updated on STN: 19940511 Entered Medline: 19940504 A photoreactive azido analog of the trypanocide ethidium bromide, AΒ 3-amino-8-azido-5-ethyl-6-phenylphenanthridinium chloride, attached covalently to calf thymus DNA (CT DNA) by photoaffinity labeling, was used to generate antibodies for the drug analog. The specificity of the antiserum was tested using enzyme-linked immunoadsorbant assays (ELISA) against immobilized antigen (photoaffinity labeled DNA) and by both the avidin-biotin peroxidase reaction and indirect immunofluorescence performed on smears of drug treated trypanosomes. The reaction of the antiserum with the covalently bound drug adduct was diminished effectively by prior incubation with an excess of ethidium monoazide, ethidium diazide, and ethidium bromide, and to a lesser extent by the DNA-ethidium complex, the diazide-DNA or RNA adduct, and the monoazide-RNA adduct. DNA which had been photoaffinity labeled with either the propidium or the acridine moiety did not react. The antiserum recognition of DNA photoaffinity labeled with ethidium monoazide was based on the substituted phenanthridinium ring system of the parent ethidium, as evidenced by competition binding studies involving the free monoazido analog (EA1), the diazido analog (EA2), and the parent compound, ethidium bromide (EB). This approach and the sensitivity it provides should prove useful for identifying the distribution and fate of covalently bound drugs resulting from antiparasitic drug treatment, and for studying their roles in antiparasitic action. Check Tags: Animal; Support, U.S. Gov't, P.H.S. Affinity Labels Antibodies Antibody Specificity Cattle *DNA: ME, metabolism Enzyme-Linked Immunosorbent Assay: MT, methods

Ethidium: IM, immunology

*Ethidium: ME, metabolism

Fluorescent Antibody Technique

Immunoenzyme Techniques

Sensitivity and Specificity

*Trypanosoma brucei brucei: ME, metabolism

3546-21-2 (Ethidium); 9007-49-2 (DNA) RN

CN 0 (Affinity Labels); 0 (Antibodies)

=>

```
=> s digoxin and biotin and bis?
           13 DIGOXIN AND BIOTIN AND BIS?
=> s ll and antibod?
            9 L1 AND ANTIBOD?
=> s 12 and chem?
            4 L2 AND CHEM?
=> duplicate remove 13
PROCESSING COMPLETED FOR L3
             4 DUPLICATE REMOVE L3 (0 DUPLICATES REMOVED)
=> d 14 1-4 all
    ANSWER 1 OF 4 CAPLUS COPYRIGHT 2003 ACS
AN
    2001:677069 CAPLUS
DN
    135:238969
    Preparation and use of carriers coated with polysaccharides
ΤI
    Kirakossian, Hrair; Pease, John S.; Schelp, Carsten; Pirio, Marcel R.;
TN
    Stohr, Uwe; Wiegand, Andreas
                                                   applicant date no good
    Dade Behring Inc., USA
PA
    PCT Int. Appl., 71 pp.
SO
    CODEN: PIXXD2
DT
    Patent
LΑ
    English
IC
    ICM G01N033-548
    ICS G01N033-543
    9-16 (Biochemical Methods)
    Section cross-reference(s): 1, 2, 15, 64
FAN.CNT 1
    PATENT NO.
                  KIND DATE
                                          APPLICATION NO.
                                                           DATE
                                          -----
    -----
                           _____
    WO 2001067105 A1 20010913
                                         WO 2000-US5978
                                                           20000306
PΙ
        W: CA, JP, US
        RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL,
            PT, SE
                           20021211
                                          EP 2000-919371
                                                           20000306
                      A1
        R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
            IE, FI, CY
PRAI WO 2000-US5978
                           20000306
    A polysaccharide coated carrier having a coating of at least two
    successive layers of polysaccharide is described. The first
    polysaccharide layer spontaneously assocs. with a second polysaccharide
    layer and, optionally, the carrier. Each successive layer of
    polysaccharide spontaneously assocs. with a preceding layer. Spontaneous
    assocn. occurs due to the presence of oppositely charged functional groups
    on each layer of polysaccharide or due to a spontaneous reaction between
    the functional groups the layers. The carrier may be any surface such as
    a tube, microtitration plate, bead, particle or the like and is suitable
    for use in diagnostic or therapeutic methods. For example,
    chemiluminescent carboxylate beads (Seradyn) were coated with
    aminodextran and dextran aldehyde and labeled with anti-digoxin
    or anti-TSH antibodies. These anti-digoxin and
    anti-TSH antibody labeled chemiluminescent beads were
    tested for their performances in LOCI assays. The higher antibody
    concn. during the labeling resulted in chemibead-
    antibody reagent with better performance in the TSH LOCI assay.
    polysaccharide carrier coating chemiluminescence fluorescence;
    diagnosis cancer antibody polysaccharide carrier coating
ΙT
    Proteins, specific or class
    RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
```

```
(Iq-binding; prepn. of carriers coated with polysaccharides for
        diagnostics or pharmaceutical anal.)
IT
     Spheres
        (beads; prepn. of carriers coated with polysaccharides for diagnostics
        or pharmaceutical anal.)
ΙT
     Antibodies
     RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
     (Reactant or reagent)
        (biotinylated; prepn. of carriers coated with polysaccharides for
        diagnostics or pharmaceutical anal.)
TΤ
     Diagnosis
        (cancer; prepn. of carriers coated with polysaccharides for diagnostics
        or pharmaceutical anal.)
     Analysis
IT
        (clin.; prepn. of carriers coated with polysaccharides for diagnostics
        or pharmaceutical anal.)
ΙT
     Neoplasm
        (diagnosis; prepn. of carriers coated with polysaccharides for
        diagnostics or pharmaceutical anal.)
ΙT
     Proteins, specific or class
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (oligonucleotide-binding; prepn. of carriers coated with
        polysaccharides for diagnostics or pharmaceutical anal.)
IT
     Microtitration
        (plates, strips and sheets; prepn. of carriers coated with
        polysaccharides for diagnostics or pharmaceutical anal.)
IT
     Blood analysis
     Ceramics
     Diagnosis
     Dves
     Fluorescence
     Luminescence, chemiluminescence
     Magnetic materials
     Particle size
     Particles
     Pharmaceutical analysis
     Pipes and Tubes
        (prepn. of carriers coated with polysaccharides for diagnostics or
        pharmaceutical anal.)
IT
     Peptides, analysis
     Prostate-specific antigen
     RL: ANT (Analyte); ANST (Analytical study)
        (prepn. of carriers coated with polysaccharides for diagnostics or
        pharmaceutical anal.)
IT
     Agglutinins and Lectins
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (prepn. of carriers coated with polysaccharides for diagnostics or
        pharmaceutical anal.)
IT
     Antigens
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (prepn. of carriers coated with polysaccharides for diagnostics or
        pharmaceutical anal.)
    Avidins
TΤ
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (prepn. of carriers coated with polysaccharides for diagnostics or
        pharmaceutical anal.)
IT
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (prepn. of carriers coated with polysaccharides for diagnostics or
        pharmaceutical anal.)
ΙT
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
```

```
(prepn. of carriers coated with polysaccharides for diagnostics or
        pharmaceutical anal.)
IT
     Oligonucleotides
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (prepn. of carriers coated with polysaccharides for diagnostics or
        pharmaceutical anal.)
IT
     Receptors
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (prepn. of carriers coated with polysaccharides for diagnostics or
        pharmaceutical anal.)
IT
     Antibodies
     RL: ARG (Analytical reagent use); RCT (Reactant); ANST (Analytical study);
     RACT (Reactant or reagent); USES (Uses)
        (prepn. of carriers coated with polysaccharides for diagnostics or
        pharmaceutical anal.)
ΙT
     Biopolymers
     Glass, analysis
     Metals, analysis
     Polyamides, analysis
     Polyesters, analysis
     Polymers, analysis
     Polysaccharides, analysis
     Polysiloxanes, analysis
     RL: ARU (Analytical role, unclassified); ANST (Analytical study)
        (prepn. of carriers coated with polysaccharides for diagnostics or
        pharmaceutical anal.)
     Radionuclides, uses
IT
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (radiolabels; prepn. of carriers coated with polysaccharides for
        diagnostics or pharmaceutical anal.)
     Proteins, specific or class
IT
     RL: ANT (Analyte); ANST (Analytical study)
        (recombinant; prepn. of carriers coated with polysaccharides for
        diagnostics or pharmaceutical anal.)
ΙT
     Polyesters, analysis
     RL: ARU (Analytical role, unclassified); ANST (Analytical study)
        (vinyl group-contg.; prepn. of carriers coated with polysaccharides for
        diagnostics or pharmaceutical anal.)
     9004-54-0P, Dextrans, analysis
ΙT
     RL: ARU (Analytical role, unclassified); RCT (Reactant); SPN (Synthetic
     preparation); ANST (Analytical study); PREP (Preparation); RACT (Reactant
     or reagent)
        (carboxyethyl ethers; prepn. of carriers coated with polysaccharides
        for diagnostics or pharmaceutical anal.)
     9002-71-5, Thyrotropin 20830-75-5, Digoxin
TT
     RL: ANT (Analyte); ANST (Analytical study)
        (prepn. of carriers coated with polysaccharides for diagnostics or
        pharmaceutical anal.)
     9013-20-1, Streptavidin
                               41105-36-6, 2-Chloro-9,10-bis
IT
     (phenylethynyl) anthracene
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (prepn. of carriers coated with polysaccharides for diagnostics or
        pharmaceutical anal.)
IT
     58-85-5, Biotin
     RL: ARG (Analytical reagent use); RCT (Reactant); ANST (Analytical study);
     RACT (Reactant or reagent); USES (Uses)
        (prepn. of carriers coated with polysaccharides for diagnostics or
        pharmaceutical anal.)
     18843-92-0DP, reaction with silicon tetra(t-Bu phthalocyanine)
     RL: ARG (Analytical reagent use); SPN (Synthetic preparation); ANST
     (Analytical study); PREP (Preparation); USES (Uses)
        (prepn. of carriers coated with polysaccharides for diagnostics or
```

```
pharmaceutical anal.)
     1344-28-1, Alumina, analysis 7487-88-9, Magnesium sulfate, analysis
IT
     7631-86-9, Silica, analysis
                                 9002-86-2, Polyvinyl chloride
                  9003-01-4, Poly(acrylic acid) 9003-05-8, Polyacrylamide
     Polyethylene
     9003-07-0, Polypropylene 9003-29-6D, Poly(butene), derivs.
     Polystyrene 9004-34-6, Cellulose, analysis
                                                  9004-35-7, Cellulose
             9004-70-0, Nitrocellulose 9012-36-6, Agarose
                                                               24991-31-9,
     acetate
     Polyvinylbutyrate 25038-59-9, Polyethyleneterephthalate, analysis
     25087-26-7, Poly(methacrylic acid) 141733-17-7, Seradyn
     RL: ARU (Analytical role, unclassified); ANST (Analytical study)
        (prepn. of carriers coated with polysaccharides for diagnostics or
        pharmaceutical anal.)
IT
     9004-54-0DP, Dextran, aldehyde derivs., analysis
                                                       37293-51-9P,
     Aminodextran
                   50813-36-0P
                                359875-92-6P
     RL: ARU (Analytical role, unclassified); SPN (Synthetic preparation); ANST
     (Analytical study); PREP (Preparation)
        (prepn. of carriers coated with polysaccharides for diagnostics or
        pharmaceutical anal.)
                                79-06-1, Acrylamide, reactions
IT
     58-85-5D, Biotin, derivs.
                                106-89-8, reactions
                                                     106-92-3, Allyl glycidyl
     106-40-1, 4-Bromoaniline
            112-71-0, 1-Bromotetradecane 3634-67-1
                                                       5455-98-1,
     N-(2,3-Epoxypropyl)phthalimide
                                     7087-68-5, N,N-Diisopropylethylamine
     10026-04-7, Silicon tetrachloride 32703-80-3, 4-tert-Butyl-1,2-
     dicyanobenzene
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (prepn. of carriers coated with polysaccharides for diagnostics or
       pharmaceutical anal.)
     3468-11-9P, 1,3-Diiminoisoindoline
                                        7440-21-3DP, Silicon, reaction with
     tetra(tert-Bu phthalocyanine), preparation
                                                  55025-11-1DP,
     Tetra(tert-butyl phthalocyanine), reaction with silicon
     RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
     (Reactant or reagent)
        (prepn. of carriers coated with polysaccharides for diagnostics or
       pharmaceutical anal.)
RE.CNT
             THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE
(1) Burshteyn, A; US 5466609 A 1995 CAPLUS
(2) Burshteyn, A; US 5776706 A 1998 CAPLUS
(3) Coulter Corp; WO 9409368 A 1994 CAPLUS
(4) Dade Behring Inc; WO 9930160 A 1999 CAPLUS
(5) Irsch, J; US 5786161 A 1998 CAPLUS
(6) Lawaczek, R; WO 9604017 A 1996 CAPLUS
(7) Ullman, E; PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF USA 1994,
   V91, P5426 CAPLUS
    ANSWER 2 OF 4 CAPLUS COPYRIGHT 2003 ACS
L4
AN
    2001:814004 CAPLUS
DN
    135:341136
TI
    Preparation of luminescent-doped inorganic nanoparticles and usage as
    labels for biomolecule probes
    Hoheisel, Werner; Petry, Christoph; Bohmann, Kerstin; Haase, Markus;
IN
    Riwotzki, Karsten
                                                  date no good
PA
    Bayer A.-G., Germany
SO
    Ger. Offen., 12 pp.
    CODEN: GWXXBX
DT
    Patent
LΑ
    German
IC
    ICM G01N033-52
    ICS G01N033-58; C12Q001-00; C12Q001-68
CC
    9-1 (Biochemical Methods)
    Section cross-reference(s): 73
FAN.CNT 1
```

```
APPLICATION NO. DATE
     PATENT NO.
                      KIND DATE
                     ----
                                           -----
                                                            _____
                            20011108
                                           DE 2001-10106643 20010212
                      A1
PΙ
     DE 10106643
                      A2
                            20011115
                                           WO 2001-EP4545
                                                             20010423
     WO 2001086299
                      A3
                            20020523
     WO 2001086299
            AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
             CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS,
             LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO,
             RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ,
             VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
         RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,
             DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF,
             BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
     EP 1282824
                       A2
                            20030212
                                          EP 2001-931636 20010423
            AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO, MK, CY, AL, TR
PRAI DE 2000-10021674 A1 20000505
     DE 2001-10106643 A
                            20010212
                       W
                            20010423
     WO 2001-EP4545
     The invention concerns luminescent-doped inorg. nanoparticles that are
AB
     used as labels for affinity mols. e.g. nucleic acids, antibodies
     , proteins, etc.; affinity mols. are directly attached to the
     nanoparticles or via linker groups, e.g. thiols, amines, imidazoles, mol.
     self-assemblies, etc. Thus europium-doped phosphoric acid, lanthanum(3+)
     salt (1:1) was prepd. by a previously described wet chem.
     method; the obtained milky dispersion was centrifuged, dialyzed and dried
     to obtain the desired particle size. The LaPO4: Eu nanoparticles were
     coated with silica using a basic sodium water glass soln.; sepd. by
     ethanol pptn., centrifugation, ultrasound dispersion, decanting and
     drying. The silica coated nanoparticles were amine-activated with
     3-aminopropyltriethoxysilane and treated with sulfosuccinimidyl
     4-(N-maleimidomethyl)cyclohexane-1-carboxylate (sulfo-SMCC) crosslinker.
     Antibodies to .alpha.-actin were thiol-activated in a
     2-iminothiolane soln. and incubated with the treated luminescent-doped
     inorg. nanoparticles; the obtained luminescent probes were used to
     visualize actin filaments in rabbit muscles by confocal laser scanning
     microscopy.
     luminescent doped inorg nanoparticle biomol probe fluorescence microscopy
ST
IΤ
     Ketones, uses
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (1,2-diketones; prepn. of luminescent-doped inorg. nanoparticles and
        usage as labels for biomol. probes)
ΙT
     Luminescence
        (UV; prepn. of luminescent-doped inorg. nanoparticles and usage as
        labels for biomol. probes)
IT
     Surfactants
        (anionic; prepn. of luminescent-doped inorg. nanoparticles and usage as
        labels for biomol. probes)
IT
     Heterocyclic compounds
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (azolides; prepn. of luminescent-doped inorg. nanoparticles and usage
        as labels for biomol. probes)
IT
     Surfactants
        (cationic; prepn. of luminescent-doped inorg. nanoparticles and usage
        as labels for biomol. probes)
IT
     Rare earth metals, uses
     RL: ARG (Analytical reagent use); MOA (Modifier or additive use); ANST
     (Analytical study); USES (Uses)
        (dopant; prepn. of luminescent-doped inorg. nanoparticles and usage as
        labels for biomol. probes)
ΙT
     Phosphates, uses
```

```
RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
   (doped with Ce, Tb, of a lanthanide or their mixt.; prepn. of
   luminescent-doped inorg. nanoparticles and usage as labels for biomol.
   probes)
Imidic acids
RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
   (esters; prepn. of luminescent-doped inorg. nanoparticles and usage as
   labels for biomol. probes)
Group IIIA element compounds
RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
   (gallates; prepn. of luminescent-doped inorg. nanoparticles and usage
   as labels for biomol. probes)
Radioluminescence
   (gamma-ray; prepn. of luminescent-doped inorg. nanoparticles and usage
   as labels for biomol. probes)
Group IVA element compounds
RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
   (germanates; prepn. of luminescent-doped inorg. nanoparticles and usage
   as labels for biomol. probes)
Phosphates, uses
RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
   (halide; prepn. of luminescent-doped inorg. nanoparticles and usage as
   labels for biomol. probes)
Immunoassay
   (luminescence; prepn. of luminescent-doped inorg. nanoparticles and
   usage as labels for biomol. probes)
Group VB element compounds
RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
   (niobates; prepn. of luminescent-doped inorg. nanoparticles and usage
   as labels for biomol. probes)
Heterocyclic compounds
RL: RCT (Reactant); RACT (Reactant or reagent)
   (nitrogen, five-membered, imidazoles; prepn. of luminescent-doped
   inorg. nanoparticles and usage as labels for biomol. probes)
Sulfides, uses
RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
   (oxy; prepn. of luminescent-doped inorg. nanoparticles and usage as
   labels for biomol. probes)
Halides
RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
   (phosphates; prepn. of luminescent-doped inorg. nanoparticles and usage
   as labels for biomol. probes)
Amines, reactions
RL: RCT (Reactant); RACT (Reactant or reagent)
   (polyamines, nonpolymeric; prepn. of luminescent-doped inorg.
   nanoparticles and usage as labels for biomol. probes)
Carboxylic acids, reactions
RL: RCT (Reactant); RACT (Reactant or reagent)
   (polycarboxylic; prepn. of luminescent-doped inorg. nanoparticles and
   usage as labels for biomol. probes)
Animal tissue
Biochemical molecules
Blood analysis
Blood plasma
Blood serum
Cathodoluminescence
Cerebrospinal fluid
Dopants
Fluorescence microscopy
Fluorescent substances
Fluorometry
```

TΨ

IT

IT

TT

IT

IT

ΙT

IT

IT

IT

IT

IT

ΙT

Immobilization, biochemical

```
Light sources
Luminescence spectroscopy
Luminescent substances
Nanoparticles
Nucleic acid hybridization
Particle size
Plant tissue
Plasmids
Self-assembly
Sputum
Sulfhydryl group
Urine analysis
X-ray luminescence
   (prepn. of luminescent-doped inorg. nanoparticles and usage as labels
   for biomol. probes)
Alkali metal halides, uses
Anhydrides
Arsenates
Arvl halides
Borates
Haptens
Isothiocyanates
Molybdates
Oxides (inorganic), uses
Peptides, uses
Phosphates, uses
Polysaccharides, uses
Selenides
Silicates, uses
Sulfates, uses
Sulfides, uses
Sulfonyl halides
RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
   (prepn. of luminescent-doped inorg. nanoparticles and usage as labels
   for biomol. probes)
Antibodies
Nucleic acids
Probes (nucleic acid)
Proteins, general, uses
Thiols (organic), uses
RL: ARG (Analytical reagent use); PEP (Physical, engineering or chemical
process); ANST (Analytical study); PROC (Process); USES (Uses)
   (prepn. of luminescent-doped inorg. nanoparticles and usage as labels
   for biomol. probes)
Amines, reactions
Polysulfones, reactions
Thioethers
RL: RCT (Reactant); RACT (Reactant or reagent)
   (prepn. of luminescent-doped inorg. nanoparticles and usage as labels
   for biomol. probes)
Diazonium compounds
RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
   (salts; prepn. of luminescent-doped inorg. nanoparticles and usage as
   labels for biomol. probes)
Selenides
RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
   (sulfo; prepn. of luminescent-doped inorg. nanoparticles and usage as
   labels for biomol. probes)
Group VB element compounds
RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
   (tantalates; prepn. of luminescent-doped inorg. nanoparticles and usage
```

IT

TΤ

TΤ

IT

IT

ΙT

as labels for biomol. probes)

- RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (to .alpha.-actin; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT Group VIB element compounds
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (tungstates; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT Carbonyl compounds (organic), uses
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (unsatd.; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT Group VB element compounds
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (vanadates; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT Surfactants
 - (zwitterionic; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT Actins
 - RL: ANT (Analyte); ANST (Analytical study)
 (.alpha.-; prepn. of luminescent-doped inorg. nanoparticles and usage
 as labels for biomol. probes)
- IT 1314-98-3, Zinc sulfide (ZnS), uses
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (Ag, Al, Cu, Mn, Tb, TbF3, Eu, EuF3, lanthanide doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT 82992-94-7, Calcium strontium sulfide ((Ca,Sr)S)
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (Bi-doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT 145564-56-3, Calcium magnesium silicate ((Ca,Mg)(SiO3))
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (Ce or Ti doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT 150927-51-8, Aluminum cerium magnesium terbium oxide (Al11Ce0.65MgTb0.35019) 186956-28-5, Aluminum magnesium oxide (Al11MgO19)
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (Ce, Tb doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT 35361-71-8, Aluminum lithium strontium fluoride (AlLiSrF6) 35362-46-0 371759-79-4, Aluminum calcium oxide silicate (Al2Ca2O(SiO3)2)
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (Ce-doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT 12442-27-2, Cadmium zinc sulfide ((Cd,Zn)S)
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (Cu, Al, Ag, Ni doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT 12024-21-4, Gallium oxide (Ga2O3)
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (Dy-doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT 21669-04-5, Barium bromide fluoride (BaBrF) 122656-71-7, Barium bromide chloride fluoride (BaBr0.5Cl0.5F)
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (Eu doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT 13718-55-3, Barium chloride fluoride (BaClF)
 RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)

(Eu or Sm doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)

1344-28-1, Alumina, uses 10377-51-2, Lithium iodide (LiI) IT Aluminum barium magnesium oxide (Al10BaMgO17) 12505-97-4, Boron strontium fluoride oxide (B12Sr3F2O2O) 37276-56-5, Calcium strontium chloride phosphate (CaSr9Cl2(PO4)6) 55134-50-4, Aluminum barium 71012-47-0, Aluminum barium magnesium magnesium oxide (Al16BaMg2027) 115968-61-1, Vanadium yttrium oxide phosphate 119537-26-7, Calcium magnesium sulfide ((Ca,Mg)S) oxide (Al14BaMgO23) (V0-1Y00-4(PO4)0-1)350480-93-2, Magnesium strontium metaphosphate oxide ((Mg,Sr)2(PO3)20) 371759-66-9, Aluminum barium magnesium oxide (Al2BaMgO3) 371759-80-7 RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (Eu-doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)

IT 13597-65-4, Zinc silicate (Zn2SiO4)

RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (Mn or As-doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)

IT 7789-75-5, Calcium fluoride (CaF2), uses

RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (Mn or Dy doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)

IT 7778-18-9, Calcium sulfate (CaSO4)

RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (Mn or lanthanide doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)

IT 10101-39-0

RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (Mn, Pb, lanthanide doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)

TT 7779-90-0, Zinc phosphate (Zn3(PO4)2) 12007-60-2, Lithium borate (Li2B4O7) 12159-91-0, Germanium magnesium fluoride oxide (Ge2Mg8F2O11) 12255-72-0, Magnesium arsenate oxide (Mg6(AsO4)2O3) 13776-74-4, Magnesium metasilicate (MgSiO3) 28042-61-7, Magnesium potassium fluoride (MgKF3) 126344-47-6, Magnesium zinc fluoride ((Mg,Zn)F2) 371759-74-9, Beryllium zinc oxide sulfide (BeZn4O4S) 371759-78-3, Cadmium borate oxide (Cd(BO3)O)

RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (Mn-doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)

IT 1306-23-6, Cadmium sulfide, uses

RL: ARG (Analytical reagent use); MOA (Modifier or additive use); ANST (Analytical study); USES (Uses)

(Mn-doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)

IT 12143-49-6, Tantalum yttrium oxide (TaYO4)

RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (Nb-doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)

IT 7790-75-2, Calcium tungstate (CaWO4)

RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (Pb or Sm doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)

IT 13573-11-0, Magnesium tungstate (MgWO4)

RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (Pb or Sm-doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)

13968-67-7, Barium silicate (BaSi2O5) 200212-20-0, Barium magnesium zinc oxide silicate ((Ba,Mg,Zn)3O(SiO3)2)

RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (Pb-doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)

```
33846-79-6, Barium yttrium fluoride (BaY2F8)
IT
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (Pr, Tm, Er, Ce doped; prepn. of luminescent-doped inorg. nanoparticles
        and usage as labels for biomol. probes)
     75535-31-8, Calcium chloride fluoride phosphate (Ca5(Cl,F)(PO4)3)
IT
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (Sb, Mn doped; prepn. of luminescent-doped inorg. nanoparticles and
        usage as labels for biomol. probes)
     106804-21-1, Magnesium strontium phosphate ((Mg,Sr)3(PO4)2)
IT
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
```

(Sn-doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes) 13875-40-6, Lanthanum

12031-43-5, Lanthanum oxide sulfide (La202S) ΙT bromide oxide (LaBrO) RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (Tb doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)

IT 13466-21-2, Barium pyrophosphate (Ba2P2O7) RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (Ti-doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)

7789-17-5, Cesium iodide (CsI) IT RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (Tl-doped or sodium-doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)

7681-82-5, Sodium iodide (NaI), uses RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (T1-doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)

IT 1314-13-2, Zinc oxide (ZnO), uses RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (Zn, Si, Ga doped; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)

7429-91-6, Dysprosium, uses 7439-92-1, Lead, IT 7429-90-5, Aluminum, uses 7440-00-8, Neodymium, uses 7439-96-5, Manganese, uses 7440-03-1, Niobium, uses 7440-10-0, 7440-02-0, Nickel, uses 7440-19-9, Samarium, uses 7440-21-3, Silicon, uses Praseodymium, uses 7440-28-0, Thallium, uses 7440-30-4, Thulium, 7440-22-4, Silver, uses 7440-31-5, Tin, uses 7440-32-6, Titanium, uses 7440-36-0, 7440-38-2, Arsenic, uses 7440-45-1, Cerium, uses Antimony, uses 7440-47-3, Chromium, uses 7440-48-4, Cobalt, uses 7440-50-8, Copper, 7440-52-0, Erbium, uses 7440-53-1, Europium, uses 7440-55-3, 7440-64-4, Ytterbium, uses 7440-66-6, Zinc, uses Gallium, uses 7440-69-9, **Bismuth**, uses 7440-74-6, Indium, uses RL: ARG (Analytical reagent use); MOA (Modifier or additive use); ANST (Analytical study); USES (Uses) (dopant; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)

76125-60-5, Aluminum strontium oxide (Al14Sr4025) IT RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (doped Eu; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)

75529-26-9, Gadolinium magnesium borate (GdMgB5010) IT RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (doped with Ce, Tb; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)

IT 7631-86-9, Silicon dioxide, uses RL: ARG (Analytical reagent use); MOA (Modifier or additive use); ANST (Analytical study); USES (Uses) (doped with Dy, Al; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)

ΙT 113671-38-8, Silicon oxide (Si00-2)

IT

- RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (doped with Er, Al; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT 31387-71-0, Barium ytterbium fluoride (BaYb2F8)
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (doped with Er; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT 12027-88-2, Yttrium silicate (Y2SiO5) 12340-04-4, Yttrium oxide sulfide (Y2O2S)
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (doped with Eu or other lanthanide; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT 12032-36-9, Magnesium sulfide (MgS)
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (doped with Eu, Ce, Sm or combination; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT 13778-59-1, Lanthanum phosphate (LaPO4)
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (doped with Eu, Ce, Tb, Dy, Nd; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT 13566-12-6, Vanadium yttrium oxide (VYO4)
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (doped with Eu, Sm, Dy, In; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT 1314-36-9, Yttrium oxide (Y2O3), uses
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (doped with Eu, Tb or other lanthanide; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT 13568-56-4, Lutetium vanadium oxide (LuVO4) 13628-52-9, Gadolinium
 vanadium oxide (GdVO4) 124676-67-1, Gadolinium yttrium borate
 ((Gd,Y)(BO3)) 230313-54-9, Gallium yttrium borate ((Ga,Y)(BO3))
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (doped with Eu; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT 7789-24-4, Lithium fluoride (LiF), uses
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (doped with Mg, Ti, Na or their combination; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT 7783-40-6, Magnesium fluoride (MgF2)
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (doped with Mn or lanthanide; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT 13709-38-1, Lanthanum fluoride (LaF3)
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (doped with Nd, Ce, Yb, Er, Tm; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT 12031-63-9, Lithium niobate (LiNbO3)
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (doped with Nd, Yb, Er; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT 371759-81-8, Aluminum yttrium borate oxide (Al3Y(BO3)3O3)
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (doped with Nd, Yb; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT 69142-81-0, Gadolinium strontium silicate (Gd2Sr3Si6O18)
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (doped with Pb,Mn; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes)
- IT 25617-97-4, Gallium nitride (GaN)
 - RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (doped with Pr, Eu, Er, Tm; prepn. of luminescent-doped inorg.

```
nanoparticles and usage as labels for biomol. probes)
     12003-86-0, Aluminum yttrium oxide (AlYO3)
                                                 26916-94-9, Lithium lutetium
IT
     fluoride (LiLuF4)
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (doped with Pr, Tm, Er, Ce; prepn. of luminescent-doped inorg.
        nanoparticles and usage as labels for biomol. probes)
     1314-96-1, Strontium sulfide (SrS)
IT
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (doped with Sm, Ce, Eu, Ag, Cu; prepn. of luminescent-doped inorg.
        nanoparticles and usage as labels for biomol. probes)
ΙT
     13812-81-2, Strontium pyrophosphate (Sr2P2O7)
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (doped with Sn or Eu; prepn. of luminescent-doped inorg. nanoparticles
        and usage as labels for biomol. probes)
     371759-82-9, Aluminum gallium yttrium oxide (Al3Ga2Y2O12)
ΙT
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (doped with Tb; prepn. of luminescent-doped inorg. nanoparticles and
        usage as labels for biomol. probes)
     13759-29-0, Yttrium chloride oxide (YClO)
                                                 14118-26-4, Lanthanum sodium
IT
                         14118-34-4, Sodium yttrium fluoride (NaYF4)
     fluoride (LaNaF4)
     15640-94-5, Gadolinium sodium fluoride (GdNaF4)
                                                       26874-36-2, Barium
     yttrium fluoride (BaYF5)
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (doped with Yb, Er; prepn. of luminescent-doped inorg. nanoparticles
        and usage as labels for biomol. probes)
IT
     13709-49-4, Yttrium fluoride (YF3)
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (doped with Yb, Er, lanthanide; prepn. of luminescent-doped inorg.
        nanoparticles and usage as labels for biomol. probes)
IT
     12592-70-0, Gallium strontium sulfide (Ga2SrS4)
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (doped with lanthanide, Pb; prepn. of luminescent-doped inorg.
       nanoparticles and usage as labels for biomol. probes)
                                                    23108-36-3, Lithium
IT
     12005-21-9, Aluminum yttrium oxide (Al5Y3012)
     yttrium fluoride (LiYF4)
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (doped with lanthanide; prepn. of luminescent-doped inorg.
       nanoparticles and usage as labels for biomol. probes)
IT
     1305-78-8, Calcium oxide, uses
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (doped with lanthanides; prepn. of luminescent-doped inorg.
       nanoparticles and usage as labels for biomol. probes)
     12339-07-0, Gadolinium oxide sulfide (Gd202S)
TΤ
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (doped with tb; prepn. of luminescent-doped inorg. nanoparticles and
       usage as labels for biomol. probes)
IT
     20548-54-3, Calcium sulfide (CaS)
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (lanthanide or Bi doped; prepn. of luminescent-doped inorg.
       nanoparticles and usage as labels for biomol. probes)
TT
     58-85-5, Biotin
                      503-68-4D, Diazoacetic acid, deriv.
                                    661-20-1D, Isocyanate, deriv.
     541-59-3D, Maleimide, deriv.
                                                                    7439-97-6D,
                                  11098-82-1, Aluminate
    Mercury, org. deriv., uses
                                                          12233-56-6,
    Bismuth germanate (Bi4Ge3O12)
                                     20830-75-5, Digoxin
     144419-68-1, Aluminum barium cerium magnesium oxide (All1(Ba,Mg)CeO19)
    RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (prepn. of luminescent-doped inorg. nanoparticles and usage as labels
       for biomol. probes)
IT
    113-00-8, Guanidine
                           120-72-9D, Indole, derivs.
                                                        1344-09-8, Water glass
     6539-14-6, 2-Iminothiolane
                                  64987-85-5
    RL: RCT (Reactant); RACT (Reactant or reagent)
        (prepn. of luminescent-doped inorg. nanoparticles and usage as labels
```

for biomol. probes) 13708-63-9, Terbium fluoride (TbF3) 13765-25-8, Europium fluoride (EuF3) IT RL: ARG (Analytical reagent use); MOA (Modifier or additive use); ANST (Analytical study); USES (Uses) (with ZnS; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes) 7440-27-9, Terbium, uses IT RL: ARG (Analytical reagent use); MOA (Modifier or additive use); ANST (Analytical study); USES (Uses) (with mixed oxides; prepn. of luminescent-doped inorg. nanoparticles and usage as labels for biomol. probes) L4ANSWER 3 OF 4 CAPLUS COPYRIGHT 2003 ACS AN 1999:753428 CAPLUS DN 132:1814 ΤI Bis-biotin compounds for specific binding assays Pirio, Marcel Rene; Davalian, Dariush; Ishkanian, Jacqueline Sadakan; IN Ullman, Edwin F. PA Dade Behring Inc., USA SO PCT Int. Appl., 70 pp. CODEN: PIXXD2 modicing t DT Patent LA English IC ICM G01N033-532 ICS G01N033-78; G01N033-74 9-14 (Biochemical Methods) CC Section cross-reference(s): 1, 26 FAN.CNT 1 PATENT NO. KIND DATE APPLICATION NO. DATE PΙ WO 9960400 A1 19991125 WO 1999-US10960 19990519 --₩: JP RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE 20001128 US 6153442 Α US 1998-81873 19980520 EP 1005650 A1 20000607 EP 1999-923193 19990519 R: CH, DE, ES, FR, GB, IT, LI, NL, SE JP 2002516252 T2 20020604 JP 2000-549961 19990519 PRAI US 1998-81873 Α 19980520 WO 1999-US10960 W 19990519 AB The present invention relates to compds. that are bisbiotins. These compds. comprise two biotinyl radicals connected by a chain of atoms, usually at least 16 atoms in length. The bis -biotin is conjugated to a member of a specific binding pair ("sbp member") wherein the chain is not part of the sbp member. disclosed are compns. comprising a complex of avidin and a bisbiotin as described above. The compds. and compns. of the invention find use in an assay for an analyte wherein there is employed a reagent system comprising an avidin reagent and a biotin reagent. The improvement of the present invention comprises using as the biotin reagent a bis-biotin as described above. Also disclosed are kits comprising the present bisbiotins and methods of prepg. a bis-biotinylated conjugate of a member of a specific binding pair ("sbp member") for use in a specific binding assay. A bis-biotin conjugate with digoxin was prepd. and complexed with sensitizer beads having immobilized streptavidin. The beads were used in a chemiluminescence immunoassay for digoxin. bisbiotin conjugate specific binding assay; biotin bis conjugate; digoxin chemiluminescence immunoassay bisbiotin conjugate

IT

Carboxyl group

```
Hydroxyl group
        (biotin attaching group functionality of; bis-
        biotin compds. for specific binding assays)
ΙT
     Thiocyanates
     Thiols (organic), properties
     RL: PRP (Properties)
        (biotin attaching group functionality of; bis-
        biotin compds. for specific binding assays)
ΙT
     Blood analysis
     Electrochemical analysis
     Spectroscopy
     Test kits
        (bis-biotin compds. for specific binding assays)
ΙT
     Antigens
     Haptens
     Polynucleotides
     Receptors
     RL: ANT (Analyte); ANST (Analytical study)
        (bis-biotin compds. for specific binding assays)
IT
     Amino group
     Sulfhydryl group
        (bis-biotin reactive with, of proteins; bis
        -biotin compds. for specific binding assays)
IT
     Proteins, general, reactions
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (bis-biotin reactive with; bis-
        biotin compds. for specific binding assays)
TT
     Latex
        (carboxylate-modified beads of, reaction of, in prepn. of
        antibody-bound chemiluminescer beads for
        immunoassays; bis-biotin compds. for specific
        binding assays)
     Immunoassay
IT
        (chemiluminescence; bis-biotin compds.
        for specific binding assays)
ΙT
     RL: ARG (Analytical reagent use); BPR (Biological process); BSU
     (Biological study, unclassified); ANST (Analytical study); BIOL
     (Biological study); PROC (Process); USES (Uses)
        (complexes, with bis-biotin; bis-
       biotin compds. for specific binding assays)
ΙT
     Antigens
     Haptens
     Polynucleotides
     Receptors
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (conjugates, with bis-biotin; bis-
        biotin compds. for specific binding assays)
IT
     Functional groups
        (iminocarbonyl, specific binding pair member attached through, to chain
        linking biotin groups; bis-biotin compds.
        for specific binding assays)
ΙT
     Avidins
     RL: ARG (Analytical reagent use); BPR (Biological process); BSU
     (Biological study, unclassified); DEV (Device component use); ANST
     (Analytical study); BIOL (Biological study); PROC (Process); USES (Uses)
        (immobilized; bis-biotin compds. for specific
        binding assays)
ΙT
     Antibodies
     RL: ARG (Analytical reagent use); SPN (Synthetic preparation); ANST
     (Analytical study); PREP (Preparation); USES (Uses)
        (monoclonal, labeled, with chemiluminescer beads, for
```

```
immunoassays; bis-biotin compds. for specific
        binding assays)
IT
     Antibodies
     RL: ARG (Analytical reagent use); BPN (Biosynthetic preparation); ANST
     (Analytical study); BIOL (Biological study); PREP (Preparation); USES
        (monoclonal; bis-biotin compds. for specific
        binding assays)
     Functional groups
IT
        (phosphate esters, specific binding pair member attached through, to
        chain linking biotin groups; bis-biotin
        compds. for specific binding assays)
ΙT
     Amines, properties
     RL: PRP (Properties)
        (primary, biotin attaching group functionality of;
       bis-biotin compds. for specific binding assays)
     Amines, properties
TT
     RL: PRP (Properties)
        (secondary, biotin attaching group functionality of;
       bis-biotin compds. for specific binding assays)
TT
     Analysis
        (specific binding assays; bis-biotin compds. for
        specific binding assays)
IT
     Carbonyl group
        (specific binding pair member attached through, to chain linking
        biotin groups; bis-biotin compds. for
        specific binding assays)
     Amines, properties
IT
     Ethers, properties
     Sulfonamides
     Thioethers
     RL: PRP (Properties)
        (specific binding pair member attached through, to chain linking
       biotin groups; bis-biotin compds. for
        specific binding assays)
     60-35-5D, Acetamide, halo derivs., properties
ΙT
     RL: PRP (Properties)
        (biotin attaching group functionality of; bis-
       biotin compds. for specific binding assays)
ΙT
     9013-20-1D, Streptavidin, complexes with bis-biotin
     RL: ARG (Analytical reagent use); BPR (Biological process); BSU
     (Biological study, unclassified); ANST (Analytical study); BIOL
     (Biological study); PROC (Process); USES (Uses)
        (bis-biotin compds. for specific binding assays)
     50-28-2DP, Estradiol, bisbiotinylated, complexes with
TT
     streptavidin-sensitizer beads 9003-53-6DP, Polystyrene, modified with
     silicon tetra-t-Bu phthalocyanine and streptavidin, bis(
     biotin) conjugate complexes
                                   35924-94-8DP, Bis-
     biotin, compds., conjugates
                                   79217-60-0DP, Cyclosporin,
     bisbiotinylated, complexes with streptavidin-sensitizer beads
     RL: ARG (Analytical reagent use); SPN (Synthetic preparation); ANST
     (Analytical study); PREP (Preparation); USES (Uses)
        (bis-biotin compds. for specific binding assays)
TT
     3634-67-1
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (bis-biotin compds. for specific binding assays)
IT
     193027-49-5P
     RL: SPN (Synthetic preparation); PREP (Preparation)
        (bis-biotin compds. for specific binding assays)
                                    51-48-9, Thyroxine, analysis 20830-75-5,
     50-28-2, Estradiol, analysis
              79217-60-0, Cyclosporin
     Digoxin
     RL: ANT (Analyte); ANST (Analytical study)
```

```
biotin compds. for specific binding assays)
     251096-25-0DP, complexes with streptavidin-sensitizer beads
IT
     RL: ARG (Analytical reagent use); PRP (Properties); SPN (Synthetic
     preparation); ANST (Analytical study); PREP (Preparation); USES (Uses)
        (for digoxin assay, stability of; bis-
        biotin compds. for specific binding assays)
     251096-26-1DP, complexes with streptavidin-sensitizer beads
IT
     RL: ARG (Analytical reagent use); SPN (Synthetic preparation); ANST
     (Analytical study); PREP (Preparation); USES (Uses)
        (for thyroxine assay; bis-biotin compds. for
        specific binding assays)
     60-24-2
               66-71-7, 1,10-Phenanthroline
                                             106-40-1, 4-Bromoaniline
IT
     112-71-0, 1-Bromotetradecane
                                    14054-87-6
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (in prepn. of antibody-bound chemiluminescer beads
        for immunoassays; bis-biotin compds. for specific
        binding assays)
                   192937-52-3P
                                  192937-53-4P
                                                 199116-59-1P
ΙT
     17904-86-8P
     RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
     (Reactant or reagent)
        (in prepn. of antibody-bound chemiluminescer beads
        for immunoassays; bis-biotin compds. for specific
        binding assays)
ΙT
     251096-25-0P
     RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP
     (Preparation); RACT (Reactant or reagent)
        (in prepn. of digoxin assay reagent; bis-
        biotin compds. for specific binding assays)
     58-85-5
               99-33-2, 3,5-Dinitrobenzoylchloride
                                                     501-53-1,
IT
                           660-88-8, 5-Aminovaleric acid
                                                          929-59-9,
     Benzylchloroformate
     2,2'-(Ethylene dioxy)bis(ethylamine
                                           6066-82-6,
     N-Hydroxysuccinimide
                           10026-04-7, Silicon tetrachloride
                                                                 24424-99-5,
     Di-tert-butyl dicarbonate
                                 32703-80-3, 4-tert-Butyl-1,2-dicyanobenzene
     129273-26-3
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (in prepn. of digoxin assay reagent; bis-
       biotin compds. for specific binding assays)
IT
     3468-11-9P, 1,3-Diiminoisoindoline
                                         23135-50-4P
                                                         35013-72-0P
     76523-73-4P
                   153086-78-3P
                                  216502-73-7P
                                                 251096-20-5P
                                                                 251096-21-6P
     251096-23-8P
                    251096-24-9P
     RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
     (Reactant or reagent)
        (in prepn. of digoxin assay reagent; bis-
       biotin compds. for specific binding assays)
IT
     26041-51-0, N-Acetylthyroxine
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (in prepn. of thyroxine assay reagent; bis-biotin
        compds. for specific binding assays)
IT
     75937-15-4P
                   251096-26-1DP, complexes with streptavidin-sensitizer beads
     RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
     (Reactant or reagent)
        (in prepn. of thyroxine assay reagent; bis-biotin
        compds. for specific binding assays)
             THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE.CNT
       11
RE
(1) Erasmus, H; US 5219764 A 1993 CAPLUS
(2) Green, N; Biochemical Journal 1971, V125(3), P781 CAPLUS
(3) Luppa, P; Bioconjugate Chemistry 1994, V5(2), P167 CAPLUS
(4) Mares, A; Journal of Immunological Methods 1995, V183(2), P211 CAPLUS
(5) Morgan, H; Journal of Polymer Science Polymer Chemistry Edition 1994, V32,
```

P1331 CAPLUS

(chemiluminescence immunoassay for; bis-

- (6) Morgan, H; Molecular Crystals and Liquid Crystals Science and Technology Section A Molecular Crystals and Liquid Crystals 1993, V235, P121 CAPLUS
- (7) Nutikka, A; Clinical Biochemistry 1991, V24(6), P469 CAPLUS
- (8) Oris SA; WO 9004791 A 1990 CAPLUS
- (9) Pierlot, C; Bioorganic and Medicinal Chemistry Letters 1992, V2(3), P267 CAPLUS
- (10) Toyobo Co Ltd; JP 06100586 A 1994 CAPLUS
- (11) Wilbur, D; Journal of Labelled Compounds and Radiopharmaceuticals 1997, V40, P335
- L4 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2003 ACS
- AN 1990:213569 CAPLUS
- DN 112:213569
- TI Tridentate conjugates for competitive immunoassays
- IN Oh, Chan S.; Sternberg, James C.
- PA Beckman Instruments, Inc., USA
- SO Eur. Pat. Appl., 40 pp. CODEN: EPXXDW
- DT Patent
- LA English
- IC ICM G01N033-531
 - ICS G01N033-94; G01N033-532
- CC 9-10 (Biochemical Methods)

FAN.CNT 1

ran.	PATENT NO.				KIND		DATE			A	PPLIC	ATION	NO.	DATE	
PI		310361 310361								E	EP 1988-30		002	19880929	
	LP	R: AT, BE,							GB,	GR,	IT,	LI, L	U, NL	, SE	
	WO	8903041 8903041			A2		19890406								
		W:			CH	שם	מים	CP	TM	T 11	NIT :	e E			
	AII										NL, : I 198:		56	19880930	
		623352								• •					
		51680												19910930	
		06222								J)	P 199	2-225	325	19920731	
		26271					1997				~ 100	- 410	014	1005000	
	US 5661019												143		
	US 5851778 PRAI US 1987-103093					1996			U,	5 199	1-032	143	19970402		
LIVII		WO 1988-US3368													
								19910930							
	US 1995-410014						1995	0322							

AΒ A tridentate conjugate for competitive immunoassays has 3 chem. moieties, or tridentate members, attached through an appropriate spacer moiety. At least 2 of the tridentate members are relatively small mols. (e.g. Tigands) haptens), usually .ltorsim.7000 daltons. The particular appropriate spacer moiety selected for a tridentate imparts certain steric properties to the tridentate conjugate. In 1 embodiment, the binding of a macromol. specific binding partner to one of the tridentate members sterically inhibits the binding of a different macromol. to another tridentate member. In another embodiment, the binding of a 1st tridentate member to a macromol. restricts the subsequent binding of a 2nd tridentate member to a proximate location on the same macromol. Thus, a biotin-theophylline-lysine conjugate (prepn. described) was reacted with DNP-bis (aminocaproic acid) N-hydroxysuccinimide ester (prepn. described) to form a biotin-theophylline-DNP conjugate. Theophylline amine (I) was detd. in a nephelometric inhibition immunoassay by mixing the conjugate with anti-theophylline monoclonal antibody, anti-DNP antibody, avidin, and samples contg.

the analyte. Free I competed with theophylline in the conjugate for the anti-theophylline monoclonal antibody. Increasing concns. of I resulted in an increased nephelometric signal. ST hapten tridentate conjugate competitive immunoassay; biotin theophylline dinitrophenol conjugate immunoassay ΙT Fluorescent substances (conjugates with haptens and macromols., tridentate, for competitive immunoassays) IT Antidepressants (detn. of, by competitive immunoassay, tridentate conjugates for) IT Haptens Hormones Proteins, analysis Vitamins RL: ANT (Analyte); ANST (Analytical study) (detn. of, by competitive immunoassay, tridentate conjugates for) Macromolecular compounds RL: ANT (Analyte); ANST (Analytical study) (detn. of, tridentate conjugates for) ΙT Antibodies RL: SPN (Synthetic preparation); PREP (Preparation) (to dinitrophenol, conjugates with fluorescein, prepn. of, for competitive immunoassays) ΙT Azides RL: ANST (Analytical study) (tridentate conjugates contq., for competitive immunoassays) ΙT Pharmaceutical analysis (tridentate hapten conjugates in, by competitive immunoassay) ΙT Luminescent substances (chemi-, conjugates with haptens and macromols., tridentate, for competitive immunoassays) ΙT Immunochemical analysis (chemiluminescence energy-transfer immunoassay, tridentate conjugates for, prepn. of) IT Rare earth metals, compounds RL: ANST (Analytical study) (complexes, fluorescent proximity label, tridentate conjugates contq., for competitive immunoassays) TΤ Porphyrins RL: ANST (Analytical study) (complexes, with tin or zinc, tridentate conjugates, for competitive immunoassays) IT Ligands RL: ANST (Analytical study) (conjugated, tridentate, for competitive immunoassays) IT Enzymes RL: ANST (Analytical study) (conjugates, with haptens and macromols., tridentate, for competitive immunoassays) IT Proteins, specific or class RL: ANST (Analytical study) (conjugates, with haptens, tridentate, for competitive immunoassays) ΙT Immunochemical analysis (nephelometric inhibition immunoassay, tridentate conjugates for, prepn. of) IT Nucleotides, polymers RL: ANT (Analyte); ANST (Analytical study) (oligo-, detn. of, by competitive immunoassay, tridentate conjugates for) Nucleotides, polymers IT RL: ANST (Analytical study) (oligo-, conjugates, with haptens, tridentate, for competitive

immunoassays) ΙT Avidins RL: ANST (Analytical study) (succinylated, conjugates, with thiolated hexokinase, for competitive immunoassays) 5438-71-1, Theophylline-8-butyric acid TΨ RL: RCT (Reactant); RACT (Reactant or reagent) (amination of, in conjugate prepn. for competitive immunoassay) IT 6332-90-7 125905-11-5 RL: ANST (Analytical study) (as spacer for tridentate conjugates for competitive immunoassays) 50-06-6, Phenobarbital, analysis 50-78-2, Acetylsalicylic acid IT 51-06-9, Procainamide 51-28-5, Dinitrophenol, analysis 56-54-2 56-75-7, Chloramphenicol 57-27-2, Morphine, analysis 57-41-0, Phenytoin 58-55-9, analysis 59-05-2, Methotrexate 76-57-3, Codeine 77-67-8, Ethosuximide 88-74-4D, 2-Nitroaniline, derivs. 99-66-1, 125-33-7, Primidone 103-90-2 137-58-6, Lidocaine Valproic acid 561-27-3 1403-66-3, Gentamycin 554-84-7D, derivs. 525-66-6 8063-07-8, Kanamycin 19410-53-8 3737-09-5, Disopyramide 32986-56-4, Tobramycin 56391-56-1 Digoxin RL: ANT (Analyte); ANST (Analytical study) (detn. of, by competitive immunoassay) ΙT 81-88-9D, tridentate conjugates with haptens and macromols. Phenyl boronic acid, tridentate conjugates with haptens and macromols. 1445-69-8D, tridentate conjugates with haptens and macromols. 2321-07-5D, Fluorescein, tridentate conjugates with haptens and macromols. 7440-31-5D, Tin, protoporphyrin complexes, tridentate conjugates with 7440-66-6D, Zinc, protoporphyrin complexes, haptens and macromols. tridentate conjugates with haptens and macromols. 9003-99-0D, Peroxidase, tridentate conjugates with haptens and macromols. 109392-90-7D, tridentate conjugates with haptens and macromols. 9001-37-0D, Glucose oxidase, tridentate conjugates with haptens and macromols. 9001-40-5D, Glucose-6-phosphate dehydrogenase, tridentate 9001-51-8D, Hexokinase, conjugates with haptens and macromols. tridentate conjugates with haptens and macromols. RL: ANST (Analytical study) (for competitive immunoassays) 125905-09-1P IΤ 54718-62-6P 125884-01-7P RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent) (prepn. and reaction of, in conjugate prepn. for competitive immunoassay) IT 125884-02-8P RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent) (prepn. and reaction of, in conjugate prepn. for competitive immunoassays) IT 125884-03-9P RL: SPN (Synthetic preparation); PREP (Preparation) (prepn. of) IT 9001-51-8DP, Hexokinase, thiolated, conjugates with succinylavidin 27072-45-3DP, Fluorescein isothiocyanate, antibody conjugates 66612-29-1DP, isothiocyanate derivs., avidin conjugates RL: SPN (Synthetic preparation); PREP (Preparation) (prepn. of, for competitive immunoassays) ΙT 126379-67-7P 126454-98-6P 125884-04-0P RL: SPN (Synthetic preparation); PREP (Preparation) (prepn. of, in conjugate prepn. for competitive immunoassay) IT RL: SPN (Synthetic preparation); PREP (Preparation) (prepn. of, in conjugate prepn. for competitive immunoassays) IT 1155-64-2

```
RL: RCT (Reactant); RACT (Reactant or reagent)
        (reaction of, with biotin succinimide ester)
     14251-32-2
ΙT
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (reaction of, with biotinylcarbobenzoxylysine)
IT
     70-34-8, 2,4-Dinitrofluorobenzene
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (reaction of, with bis(aminocaproate))
     124-09-4, 1,6-Hexanediamine, reactions
IT
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (reaction of, with bromotheophylline)
     2014-58-6
IT
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (reaction of, with dinitrofluorobenzene)
IT
     10381-75-6, 8-Bromotheophylline
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (reaction of, with hexanediamine)
     35013-72-0, Biotin N-hydroxysuccinimide ester
ΙT
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (reaction of, with theophylline deriv. in conjugate prepn. for
        competitive immunoassay)
     125905-10-4
ΙT
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (reaction of, with theophyllineaminohexylamine in conjugate prepn. for
```

competitive immunoassay)

=>